

**#ANYWHERE
IS POSSIBLE**



39.17165 - 109.020667

TYRE CATALOGUE

2019 — ISRAEL

ANYWHERE IS POSSIBLE // GENERAL TIRE SINCE 1915



GENERAL TIRE

HISTORY TIMELINE

THE BEGINNING
OF A SUPERIOR,
QUALITY PRODUCT



SEPTEMBER 29TH, 1915

William F. O'Neil, "W.O." and Winfred E. Fouse, found the General Tire and Rubber Company in Akron, Ohio.



1928 General Tire develops rubber flaps for truck tyres.

1944 GT began production in its 2nd U.S. facility in Waco, Texas; production phased out in 1986.

1960 A new material combination for compound is patented.



1969 General Tire ad - Sidewinder.



OCTOBER 30TH, 1987 Continental Tire North America, Inc. finalises the acquisition of General Tire, Inc.

2008 General Tire re-enters Off-Road racing.

SEPTEMBER 29TH, 2015 General Tire 100 years.



1915

1920

1930

1940

1950

1960

1970

1980

1990

2000

2010

2015

2017

1920's The headquarters.



1930's The first international subsidiary is founded in Mexico.

1930's Nylon and fabric production.



1943 General Tire ad - Longer Mileage.



1970's General Tire slogan was "Sooner or later you'll own Generals".

1973 General Tire opens its 6th plant, equipped for full radial tyre production, in Mt. Vernon, Illinois.



2012 General Tire is a leader in the development, production, and marketing of quality tyres for automotive applications.

TYRE FULL PRODUCT RANGE OVERVIEW



NEW!

ALTIMAX ONE S

Tyre dimensions

▶ Tyre width in mm	185-295
▶ Rim size in inches	15-20
▶ Speed Symbol	H-Y
▶ Tyre CrossSection	30-60



NEW!

ALTIMAX ONE

Tyre dimensions

▶ Tyre width in mm	155-195
▶ Rim size in inches	15-15
▶ Speed Symbol	H-V
▶ Tyre CrossSection	60-65



GRABBER X³

Tyre dimensions

▶ Tyre width in mm	205-345
▶ Rim size in inches	15-22
▶ Speed Symbol	Q-Q
▶ Tyre CrossSection	52-80



GRABBER AT³

Tyre dimensions

▶ Tyre width in mm	195-285
▶ Rim size in inches	15-20
▶ Speed Symbol	H-V
▶ Tyre CrossSection	40-85



GRABBER HTS⁶⁰

Tyre dimensions

▶ Tyre width in mm	225-285
▶ Rim size in inches	15-22
▶ Speed Symbol	H-V
▶ Tyre CrossSection	45-85

4X4 TYRES



ALTIMAX SPORT

Tyre dimensions

▶ Tyre width in mm	185-275
▶ Rim size in inches	14-20
▶ Speed Symbol	H-Y
▶ Tyre CrossSection	35-55



ALTIMAX COMFORT

Tyre dimensions

▶ Tyre width in mm	135-215
▶ Rim size in inches	13-16
▶ Speed Symbol	H-V
▶ Tyre CrossSection	60-80



GRABBER GT

Tyre dimensions

▶ Tyre width in mm	195-295
▶ Rim size in inches	15-23
▶ Speed Symbol	H-Y
▶ Tyre CrossSection	35-80



EUROVAN 2

Tyre dimensions

▶ Tyre width in mm	165-235
▶ Rim size in inches	14-16
▶ Speed Symbol	Q-T
▶ Tyre CrossSection	60-82

PASSENGER / SUV TYRES

VAN TYRES

TYRE PASSENGER & SUV CAR TYRES OVERVIEW



ALTIMAX ONE S

The guarantee for precise steering and safe driving



ALTIMAX ONE

For high performance and a long service life.



GRABBER GT

For fast and powerful SUVs and off-road vehicles.



ALTIMAX ONE S

DRIVING PLEASURE




FEATURES AND BENEFITS




4-groove pattern for the higher performance sizes

- Improved water evacuation at higher speeds under wet conditions
- Responsive and predictable dry and wet road handling



Visual Alignment
Indicator Technology



Replacement Tire Monitor
Technology


ALTIMAX ONE

OWN EVERY CURVE

NEW!



FEATURES AND BENEFITS



Rigid shoulder blocks and continuous rib structure in the centre


► **Precise handling and outstanding braking on dry roads thanks to the connected shoulder blocks and reinforced stiffness**

Optimized siping and notched tread ribs

► **Increased traction on wet slippery roads through a large number of gripping edges**



Visual Alignment Indicator Technology




Replacement Tire Monitor Technology

GRABBER GT

FAST AND POWERFUL



FEATURES AND BENEFITS



Stiff and well-balanced pattern structure in shoulder blocks

► **Outstanding handling performance.**


VAI-Technology: Improved tyre life

RTM-Technology: Improved safety


► **Both improve safety and tyre life.**

Multitude of grip edges

► **Very high level of safety.**



Visual Alignment
Indicator Technology



Replacement Tire Monitor
Technology

100%

on-road

0%

off-road

CHOOSE ANYWHERE IS POSSIBLE YOUR TERRAIN



GRABBER X³

ONROAD 20%



OFFROAD 80%



GRABBER AT³

ONROAD 50%



OFFROAD 50%



GRABBER HTS⁶⁰

ONROAD 80%




OFFROAD 20%




GRABBER AT³

THE ALL-TERRAIN TYRE



FEATURES AND BENEFITS



Gripping edges interlock with the off-road surface

► **Exceptional loose surface traction.**

Robust compound and reinforced tread blocks

► **Improved tread life in rugged terrain conditions.**

Uniform block geometry and the optimised tread block orientation

► **Comfortable on-road drive in an allterrain tyre line.**

50%

on-road

50%


off-road

GRABBER X³

THE EXTREME MUD MASTER



FEATURES AND BENEFITS



20% 80%
 on-road off-road

Aggressive and open pattern design for high traction levels

► **Extreme performance in MUD with engineered tread features.**

Block chamfers & traction notches provide additional biting edges

► **Extreme performance in DIRT with superior grip.**

Large sidewall lugs and deflection ribs that protect the tyre body

► **Extreme performance on ROCK with breakthrough cut resistance.**

EUROVAN 2

THE POWERFUL VAN TYRE



FEATURES AND BENEFITS



- Compact and solid tread blocks
► **Better handling and shorter braking distances.**
- Wide flat belt tread profile
► **Higher mileage and comfortable ride.**
- Wide shoulder blocks
► **Improved handling under load.**

POSITIONING TABLE

PASSENGER & SUV / 4X4 / VAN

PASSENGER / SUV	Altimax One S												
	Altimax Sport												
	Altimax One												
	Altimax Comfort												
	GRABBER GT												
4X4	GRABBER AT ³												
	GRABBER X ³												
	GRABBER HTS ⁶⁰												
VAN	EUROVAN 2												
				13"	14"	15"	16"	17"	18"	19"	20"	21"	22"

DIMENSIONS

PASSENGER & SUV TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
13	135/80 R 13	T	070/000	Altimax Comfort	1552330
13	145/70 R 13	T	071/000	Altimax Comfort	1552331
13	145/80 R 13	T	075/000	Altimax Comfort	1552332
13	155/65 R 13	T	073/000	Altimax Comfort	1552333
13	155/70 R 13	T	075/000	Altimax Comfort	1552337
13	155/80 R 13	T	079/000	Altimax Comfort	1552338
13	165/65 R 13	T	077/000	Altimax Comfort	1552340
13	165/70 R 13	T	079/000	Altimax Comfort	1552343
13	175/65 R 13	T	080/000	Altimax Comfort	1552347
13	175/70 R 13	T	082/000	Altimax Comfort	1552361
14	155/65 R 14	T	075/000	Altimax Comfort	1552334
14	165/60 R 14	H	075/000	Altimax Comfort	1552339
14	165/65 R 14	T	079/000	Altimax Comfort	1552341
14	165/70 R 14	T	081/000	Altimax Comfort	1552344
14	165/70 R 14	T	085/000	Altimax Comfort	1552345
14	175/65 R 14	T	082/000	Altimax Comfort	1552326
14	175/65 R 14	T	086/000	Altimax Comfort	1552322
14	175/65 R 14	H	082/000	Altimax Comfort	1554234
14	175/70 R 14	T	084/000	Altimax Comfort	1552362
14	175/70 R 14	T	088/000	Altimax Comfort	1552363
14	175/80 R 14	T	088/000	Altimax Comfort	1552364
14	185/55 R 14	H	080/000	Altimax Sport	1552366
14	185/60 R 14	H	082/000	Altimax Comfort	1552382
14	185/65 R 14	T	086/000	Altimax Comfort	1552419
14	185/65 R 14	H	086/000	Altimax Comfort	1552415
14	185/70 R 14	T	088/000	Altimax Comfort	1552424
15	155/60 R 15	T	074/000	Altimax ONE	1554564
15	165/65 R 15	T	081/000	Altimax Comfort	1552342
15	175/60 R 15	H	081/000	Altimax Comfort	1552346
15	175/65 R 15	T	084/000	Altimax Comfort	1552349
15	175/65 R 15	H	084/000	Altimax Comfort	1552348
15	185/55 R 15	V	082/000	Altimax ONE S	1554565
15	185/55 R 15	H	082/000	Altimax Sport	1552369
15	185/55 R 15	V	082/000	Altimax Sport	1552377
15	185/60 R 15	H	088/000 XL	Altimax ONE	1554794
15	185/60 R 15	H	084/000	Altimax Comfort	1552383
15	185/60 R 15	H	088/000	Altimax Comfort	1552414
15	185/65 R 15	T	088/000	Altimax ONE	1554566
15	185/65 R 15	H	088/000	Altimax ONE	1554567
15	185/65 R 15	T	092/000 XL	Altimax ONE	1554568
15	185/65 R 15	T	088/000	Altimax Comfort	1552422
15	185/65 R 15	T	092/000	Altimax Comfort	1552423
15	185/65 R 15	H	088/000	Altimax Comfort	1552421
15	195/45 R 15	V	078/000	Altimax Sport	1552427
15	195/50 R 15	V	082/000	Altimax ONE S	1554570
15	195/50 R 15	H	082/000	Altimax Sport	1552429
15	195/50 R 15	V	082/000	Altimax Sport	1552430
15	195/55 R 15	H	085/000	Altimax ONE S	1554572
15	195/55 R 15	V	085/000	Altimax ONE S	1554571
15	195/55 R 15	H	085/000	Altimax Sport	1552432
15	195/55 R 15	V	085/000	Altimax Sport	1552439

Rim	Size	Speed index	Load index	Pattern	Material Number
15	195/60 R 15	H	088/000	Altimax ONE	1554575
15	195/60 R 15	V	088/000	Altimax ONE	1554576
15	195/60 R 15	H	088/000	Altimax Comfort	1552323
15	195/60 R 15	V	088/000	Altimax Comfort	1552324
15	195/65 R 15	T	091/000	Altimax ONE	1554577
15	195/65 R 15	H	091/000	Altimax ONE	1554578
15	195/65 R 15	V	091/000	Altimax ONE	1554579
15	195/65 R 15	T	095/000 XL	Altimax ONE	1554580
15	195/65 R 15	H	095/000 XL	Altimax ONE	1554581
15	195/65 R 15	T	091/000	Altimax Comfort	1552483
15	195/65 R 15	T	095/000	Altimax Comfort	1552484
15	195/65 R 15	H	091/000	Altimax Comfort	1552477
15	195/65 R 15	V	091/000	Altimax Comfort	1552536
15	195/80 R 15	H	096/000	GRABBER GT	0450222
15	205/55 R 15	V	088/000	Altimax Sport	1552669
15	205/60 R 15	H	091/000	Altimax Comfort	1552678
15	205/60 R 15	V	091/000	Altimax Comfort	1552680
15	205/65 R 15	H	094/000	Altimax Comfort	1552694
15	205/70 R 15	H	096/000	GRABBER GT	0450223
15	215/65 R 15	T	096/000	Altimax Comfort	1552728
15	235/75 R 15	T	109/000	GRABBER GT	0450224
16	185/55 R 16	H	087/000	Altimax Sport	1552378
16	195/45 R 16	V	084/000 XL FR	Altimax ONE S	1554569
16	195/45 R 16	V	084/000	Altimax Sport	1552428
16	195/50 R 16	V	088/000	Altimax Sport	1552431
16	195/55 R 16	H	087/000	Altimax ONE S	1554574
16	195/55 R 16	V	087/000	Altimax ONE S	1554573
16	195/55 R 16	H	087/000	Altimax Sport	1552449
16	195/55 R 16	V	087/000	Altimax Sport	1552450
16	205/45 R 16	W	087/000	Altimax Sport	1552550
16	205/50 R 16	Y	087/000	Altimax Sport	1552565
16	205/55 R 16	H	091/000	Altimax ONE S	1554584
16	205/55 R 16	V	091/000	Altimax ONE S	1554585
16	205/55 R 16	W	091/000	Altimax ONE S	1554586
16	205/55 R 16	V	094/000 XL	Altimax ONE S	1554587
16	205/55 R 16	H	091/000	Altimax Sport	1552670
16	205/55 R 16	V	091/000	Altimax Sport	1552671
16	205/55 R 16	V	094/000	Altimax Sport	1552672
16	205/55 R 16	Y	091/000	Altimax Sport	1552677
16	205/60 R 16	H	092/000	Altimax ONE S	1554588
16	205/60 R 16	W	096/000 XL	Altimax ONE S	1554589
16	205/60 R 16	H	092/000	Altimax Comfort	1552683
16	205/60 R 16	V	092/000	Altimax Comfort	1552684
16	205/60 R 16	V	096/000	Altimax Comfort	1552689
16	205/80 R 16	T	104/000	GRABBER GT	0450225
16	215/45 R 16	V	090/000	Altimax Sport	1554286
16	215/55 R 16	V	093/000	Altimax ONE S	1554594
16	215/55 R 16	W	097/000 XL	Altimax ONE S	1554592
16	215/55 R 16	Y	097/000 XL	Altimax ONE S	1554593
16	215/55 R 16	V	093/000	Altimax Sport	1552708
16	215/55 R 16	Y	093/000	Altimax Sport	1552709

DIMENSIONS

PASSENGER & SUV TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
16	215/55 R 16	Y	097/000	Altimax Sport	1552726
16	215/60 R 16	V	099/000	Altimax Comfort	1552325
16	215/60 R 16	V	099/000	Altimax Comfort	1554327
16	215/65 R 16	H	098/000	GRABBER GT	0450226
16	215/65 R 16	H	102/000	GRABBER GT	0450557
16	215/65 R 16	V	098/000	GRABBER GT	0450227
16	215/70 R 16	H	100/000	GRABBER GT	0450228
16	225/50 R 16	Y	092/000	Altimax Sport	1552734
16	225/55 R 16	V	095/000	Altimax Sport	1552738
16	225/55 R 16	Y	095/000	Altimax Sport	1552739
16	225/55 R 16	Y	099/000	Altimax Sport	1552741
16	225/70 R 16	H	103/000	GRABBER GT	0450229
16	235/60 R 16	V	100/000	GRABBER GT	0450230
16	235/70 R 16	H	106/000	GRABBER GT	0450231
16	245/70 R 16	H	107/000	GRABBER GT	0450232
16	255/65 R 16	H	109/000	GRABBER GT	0450233
16	255/70 R 16	H	111/000	GRABBER GT	0450234
16	265/70 R 16	H	112/000	GRABBER GT	0450235
17	205/40 R 17	Y	084/000	Altimax Sport	1552540
17	205/45 R 17	Y	088/000 XL FR	Altimax ONE S	1554582
17	205/45 R 17	V	088/000	Altimax Sport	1552551
17	205/45 R 17	Y	088/000	Altimax Sport	1552552
17	205/50 R 17	Y	093/000 XL FR	Altimax ONE S	1554583
17	205/50 R 17	V	093/000	Altimax Sport	1552653
17	205/50 R 17	Y	093/000	Altimax Sport	1552662
17	205/55 R 17	V	095/000	Altimax Sport	1550438
17	215/40 R 17	Y	087/000	Altimax Sport	1552704
17	215/45 R 17	Y	091/000 XL FR	Altimax ONE S	1554590
17	215/45 R 17	Y	091/000	Altimax Sport	1552705
17	215/50 R 17	Y	095/000 XL FR	Altimax ONE S	1554591
17	215/50 R 17	Y	091/000	Altimax Sport	1552706
17	215/50 R 17	Y	095/000	Altimax Sport	1552707
17	215/55 R 17	V	094/000 FR	Altimax ONE S	1554595
17	215/55 R 17	W	098/000 XL FR	Altimax ONE S	1554596
17	215/55 R 17	Y	094/000	Altimax Sport	1552727
17	215/60 R 17	H	096/000	GRABBER GT	0450236
17	215/60 R 17	V	096/000	GRABBER GT	0450708
17	225/45 R 17	Y	091/000 FR	Altimax ONE S	1554598
17	225/45 R 17	Y	094/000 XL FR	Altimax ONE S	1554599
17	225/45 R 17	Y	091/000	Altimax Sport	1552731
17	225/45 R 17	Y	094/000	Altimax Sport	1552732
17	225/50 R 17	Y	098/000 XL FR	Altimax ONE S	1554603
17	225/50 R 17	Y	094/000	Altimax Sport	1552736
17	225/50 R 17	Y	098/000	Altimax Sport	1552737
17	225/55 R 17	Y	097/000	Altimax Sport	1552742
17	225/55 R 17	Y	101/000	Altimax Sport	1552743
17	225/55 R 17	V	097/000	GRABBER GT	0450237
17	225/60 R 17	V	099/000	GRABBER GT	0450238
17	225/65 R 17	H	102/000	GRABBER GT	0450531
17	225/65 R 17	V	102/000	GRABBER GT	0450239
17	235/45 R 17	Y	097/000 XL FR	Altimax ONE S	1554607

Rim	Size	Speed index	Load index	Pattern	Material Number
17	235/45 R 17	Y	094/000	Altimax Sport	1552747
17	235/45 R 17	Y	097/000	Altimax Sport	1552748
17	235/55 R 17	W	103/000	Altimax Sport	1554287
17	235/55 R 17	H	099/000	GRABBER GT	0450240
17	235/55 R 17	V	099/000	GRABBER GT	0450241
17	235/60 R 17	V	102/000	GRABBER GT	0450728
17	235/65 R 17	V	108/000	GRABBER GT	0450242
17	245/40 R 17	Y	091/000	Altimax Sport	1552750
17	245/45 R 17	Y	095/000	Altimax Sport	1552754
17	245/45 R 17	Y	099/000	Altimax Sport	1552756
17	245/50 R 17	Y	099/000	Altimax Sport	1554052
17	245/65 R 17	V	111/000	GRABBER GT	0450243
17	255/60 R 17	V	106/000	GRABBER GT	0450244
17	255/65 R 17	H	110/000	GRABBER GT	0450245
17	265/65 R 17	H	112/000	GRABBER GT	0450246
17	275/55 R 17	V	109/000	GRABBER GT	0450247
18	215/40 R 18	Y	089/000	Altimax Sport	1550439
18	215/55 R 18	V	099/000	GRABBER GT	0450706
18	225/40 R 18	Y	092/000 XL FR	Altimax ONE S	1554597
18	225/40 R 18	Y	092/000	Altimax Sport	1552730
18	225/45 R 18	Y	095/000 XL FR	Altimax ONE S	1554601
18	225/45 R 18	Y	095/000	Altimax Sport	1552733
18	225/55 R 18	V	098/000	GRABBER GT	0450248
18	225/60 R 18	H	100/000	GRABBER GT	0450391
18	235/40 R 18	Y	095/000 XL FR	Altimax ONE S	1554606
18	235/40 R 18	Y	095/000	Altimax Sport	1552746
18	235/45 R 18	Y	098/000	Altimax Sport	1552749
18	235/50 R 18	V	097/000	GRABBER GT	0450249
18	235/55 R 18	H	100/000	GRABBER GT	0450250
18	235/55 R 18	V	100/000	GRABBER GT	0450251
18	235/60 R 18	W	107/000	GRABBER GT	0450252
18	245/35 R 18	Y	092/000	Altimax Sport	1550440
18	245/40 R 18	Y	097/000 XL FR	Altimax ONE S	1554609
18	245/40 R 18	Y	093/000	Altimax Sport	1552751
18	245/45 R 18	Y	100/000 XL FR	Altimax ONE S	1554610
18	245/45 R 18	Y	100/000	Altimax Sport	1552757
18	255/35 R 18	Y	094/000	Altimax Sport	1552758
18	255/40 R 18	Y	099/000	Altimax Sport	1554054
18	255/45 R 18	Y	103/000	Altimax Sport	1550441
18	255/55 R 18	Y	109/000	GRABBER GT	0450253
18	255/55 R 18	Y	109/000	GRABBER GT	0450296
18	255/60 R 18	V	112/000	GRABBER GT	0450254
18	265/35 R 18	Y	097/000	Altimax Sport	1550442
18	275/35 R 18	Y	095/000	Altimax Sport	1554056
18	275/40 R 18	Y	099/000	Altimax Sport	1554055
19	225/35 R 19	Y	088/000	Altimax Sport	1552729
19	225/40 R 19	Y	093/000	Altimax Sport	1554059
19	225/55 R 19	V	103/000	GRABBER GT	0450392
19	235/35 R 19	Y	091/000 XL FR	Altimax ONE S	1554605
19	235/35 R 19	Y	091/000	Altimax Sport	1552744
19	235/50 R 19	V	099/000	GRABBER GT	0450711

DIMENSIONS

PASSENGER & SUV TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
19	235/55 R 19	W	105/000	GRABBER GT	0450304
19	245/35 R 19	Y	093/000 XL FR	Altimax ONE S	1554608
19	245/40 R 19	Y	098/000	Altimax Sport	1552753
19	245/45 R 19	Y	098/000	Altimax Sport	1554057
19	255/35 R 19	Y	096/000 XL FR	Altimax ONE S	1554612
19	255/35 R 19	Y	096/000	Altimax Sport	1554066
19	255/40 R 19	Y	100/000 XL FR	Altimax ONE S	1554614
19	255/40 R 19	Y	100/000	Altimax Sport	1552768
19	255/50 R 19	Y	107/000	GRABBER GT	0450256
19	255/55 R 19	V	111/000	GRABBER GT	0450257
19	265/50 R 19	Y	110/000	GRABBER GT	0450258
19	275/40 R 19	Y	101/000	Altimax Sport	1554058
19	275/45 R 19	Y	108/000	GRABBER GT	0450259
19	285/45 R 19	W	111/000	GRABBER GT	0450260
20	245/45 R 20	Y	103/000	Altimax Sport	1554053
20	255/35 R 20	Y	97/000 XL FR	Altimax ONE S	1554613
20	255/35 R 20	Y	097/000	Altimax Sport	1552767
20	255/45 R 20	W	105/000	GRABBER GT	0450709
20	255/50 R 20	Y	109/000	GRABBER GT	0450710
20	265/45 R 20	Y	108/000	GRABBER GT	0450707
20	275/40 R 20	Y	106/000	GRABBER GT	0450261
20	275/40 R 20	Y	106/000	GRABBER GT	0450297
20	275/45 R 20	Y	110/000	GRABBER GT	0450262
20	295/30 R 20	Y	101/000 XL FR	Altimax ONE S	1554615
21	295/35 R 21	Y	107/000	GRABBER GT	0450263
22	275/40 R 22	Y	108/000	GRABBER GT	0450729

DIMENSIONS

4X4 TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
15	195/80 R 15	T	096/000	GRABBER AT3	0450635
15	205/70 R 15	T	096/000	GRABBER AT3	0450636
15	205/70 R 15	T	096/000	GRABBER TR	0450682
15	205/70 R 15	S	107/103	GRABBER AT3	0450732
15	205/75 R 15	T	097/000	GRABBER AT3	0450637
15	205/75 R 15	T	097/000	GRABBER AT2	1546368
15	215/75 R 15	T	100/000	GRABBER AT3	0450641
15	215/75 R 15	Q	106/103	GRABBER X3	0450623
15	215/75 R 15	S	100/000	GRABBER AT2	1546372
15	215/80 R 15	T	102/000	GRABBER TR	0450336
15	215/80 R 15	S	112/109	GRABBER AT3	0450698
15	225/70 R 15	T	100/000	GRABBER AT3	0450643
15	225/70 R 15	T	100/000	GRABBER HTS	1548601
15	225/75 R 15	T	102/000	GRABBER AT3	0450646
15	235/75 R 15	T	105/000	GRABBER HTS	0450312
15	235/75 R 15	Q	110/107	GRABBER X3	0450631
15	235/75 R 15	S	109/000	GRABBER AT2	0456863
15	235/75 R 15	S	110/107	GRABBER AT3	0450690
15	245/75 R 15	S	113/110	GRABBER AT3	0450733
15	255/70 R 15	T	112/000	GRABBER AT3	0450664
15	255/70 R 15	S	108/000	GRABBER HTS60	0450458
15	265/70 R 15	T	112/000	GRABBER AT3	0450668
15	265/70 R 15	H	112/000	GRABBER UHP	1547708
15	265/70 R 15	S	112/000	GRABBER AT2	1546378
15	265/75 R 15	S	112/000	GRABBER HTS60	0450457
15	30 X 9.50 R 15	Q	104/000	GRABBER X3	0450628
15	31 X 10.50 R 15	Q	109/000	GRABBER X3	0450629
15	31 X 10.50 R 15	Q	109/000	GRABBER X3	0450566
15	31 X 10.50 R 15	R	109/000	GRABBER HTS60	0450507
15	31 X 10.50 R 15	S	109/000	GRABBER AT2	0568404
15	31 X 10.50 R 15	S	109/000	GRABBER AT3	0450687
15	33 X 10.50 R 15	Q	114/000	GRABBER X3	0450684
15	33 X 12.50 R 15	Q	108/000	GRABBER X3	0450630
15	33 X 12.50 R 15	Q	108/000	GRABBER X3	0450567
15	35 X 12.50 R 15	Q	113/000	GRABBER AT2	0450539
15	35 X 12.50 R 15	Q	113/000	GRABBER X3	0450627
15	35 X 12.50 R 15	Q	113/000	GRABBER X3	0450568
16	205 R 16	Q	110/108	GRABBER X3	0450613
16	205 R 16	S	110/108	GRABBER AT3	0450697
16	205/80 R 16	T	104/000	GRABBER AT3	0450638
16	205/80 R 16	T	104/000	GRABBER TR	0450683
16	215/65 R 16	T	098/000	GRABBER AT2	1546370
16	215/65 R 16	S	103/100	GRABBER AT3	0450688
16	215/70 R 16	T	100/000	GRABBER AT2	1546371
16	215/70 R 16	T	100/000	GRABBER AT3	0450640
16	215/70 R 16	T	100/000	GRABBER HTS60	0450464
16	225/70 R 16	T	103/000	GRABBER AT3	0450644
16	225/70 R 16	T	103/000	GRABBER HTS60	0450465
16	225/75 R 16	H	108/000	GRABBER AT3	0450647
16	225/75 R 16	Q	115/112	GRABBER X3	0450619
16	225/75 R 16	S	104/000	GRABBER HTS60	0450459

DIMENSIONS

4X4 TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
16	225/75 R 16	S	108/000	GRABBER AT2	1546374
16	225/75 R 16	S	115/112	GRABBER AT3	0450699
16	225/75 R 16	S	115/112	GRABBER HTS	0450120
16	235/70 R 16	T	106/000	GRABBER AT2	0450404
16	235/70 R 16	T	106/000	GRABBER HTS60	0450466
16	235/70 R 16	T	106/000	GRABBER HTS60	0450467
16	235/70 R 16	S	110/107	GRABBER AT3	0450689
16	235/75 R 16	S	108/000	GRABBER HTS60	0450460
16	235/85 R 16	Q	120/116	GRABBER TR	0450681
16	235/85 R 16	Q	120/116	GRABBER X3	0450615
16	235/85 R 16	R	120/116	GRABBER HTS60	0450508
16	235/85 R 16	S	120/116	GRABBER AT3	0450700
16	245/70 R 16	T	107/000	GRABBER HTS60	0450468
16	245/70 R 16	T	107/000	GRABBER HTS60	0450469
16	245/70 R 16	H	111/000	GRABBER AT3	0450657
16	245/70 R 16	S	113/110	GRABBER AT3	0450691
16	245/75 R 16	Q	120/116	GRABBER X3	0450624
16	245/75 R 16	S	111/000	GRABBER HTS60	0450461
16	245/75 R 16	S	111/000	GRABBER HTS60	0450462
16	245/75 R 16	S	120/116	GRABBER AT3	0450701
16	245/75 R 16	S	120/116	GRABBER HTS60	0450509
16	245/75 R 16	S	120/116	GRABBER HTS60	0450510
16	255/65 R 16	H	109/000	GRABBER AT3	0450663
16	255/65 R 16	H	109/000	GRABBER HTS60	0450474
16	255/65 R 16	S	109/000	GRABBER HTS60	0450473
16	255/70 R 16	S	111/000	GRABBER AT2	1547459
16	255/70 R 16	S	111/000	GRABBER HTS60	0450470
16	255/70 R 16	S	120/117	GRABBER AT3	0450694
16	265/70 R 16	T	112/000	GRABBER HTS60	0450471
16	265/70 R 16	T	112/000	GRABBER HTS60	0450472
16	265/70 R 16	H	112/000	GRABBER AT3	0450669
16	265/70 R 16	Q	121/118	GRABBER X3	0450622
16	265/70 R 16	S	121/118	GRABBER AT3	0450696
16	265/75 R 16	T	116/000	GRABBER HTS60	0450463
16	265/75 R 16	Q	112/109	GRABBER X3	0450570
16	265/75 R 16	Q	119/116	GRABBER X3	0450614
16	265/75 R 16	Q	123/120	GRABBER X3	0450571
16	275/70 R 16	T	114/000	GRABBER UHP	1547710
16	285/75 R 16	Q	116/113	GRABBER X3	0450618
16	285/75 R 16	Q	126/123	GRABBER X3	0450572
16	315/75 R 16	Q	127/124	GRABBER X3	0450573
17	215/60 R 17	H	096/000	GRABBER AT3	0450639
17	225/65 R 17	H	102/000	GRABBER AT	0450215
17	225/65 R 17	H	102/000	GRABBER AT	0450855
17	225/65 R 17	H	102/000	GRABBER AT3	0450642
17	225/70 R 17	T	108/000	GRABBER AT3	0450645
17	235/55 R 17	H	099/000	GRABBER AT	0450220
17	235/55 R 17	H	099/000	GRABBER AT3	0450648
17	235/65 R 17	T	108/000	GRABBER HTS60	0450480
17	235/65 R 17	H	108/000	GRABBER AT3	0450653
17	235/65 R 17	H	108/000	GRABBER HTS	1548531

Rim	Size	Speed index	Load index	Pattern	Material Number
17	235/65 R 17	H	108/000	GRABBER HTS60	0450481
17	235/65 R 17	V	108/000	GRABBER AT3	0450654
17	235/70 R 17	T	111/000	GRABBER HTS60	0450476
17	235/70 R 17	H	111/000	GRABBER AT3	0450655
17	235/80 R 17	R	120/117	GRABBER HTS60	0450513
17	245/65 R 17	T	107/000	GRABBER HTS60	0450482
17	245/65 R 17	T	107/000	GRABBER HTS60	0450483
17	245/65 R 17	T	111/000	GRABBER HTS60	0450524
17	245/65 R 17	H	107/000	GRABBER HTS60	0450561
17	245/65 R 17	H	111/000	GRABBER AT3	0450656
17	245/65 R 17	V	107/000	GRABBER HTS60	0450523
17	245/70 R 17	T	108/000	GRABBER HTS	1544949
17	245/70 R 17	T	110/000	GRABBER HTS60	0450477
17	245/70 R 17	T	114/000	GRABBER AT3	0450658
17	245/70 R 17	Q	119/116	GRABBER X3	0450616
17	245/70 R 17	S	108/000	GRABBER HTS	1544842
17	245/70 R 17	S	119/116	GRABBER HTS60	0450516
17	245/75 R 17	R	121/118	GRABBER AT2	0450300
17	245/75 R 17	S	121/118	GRABBER HTS60	0450514
17	245/75 R 17	S	121/118	GRABBER HTS60	0450515
17	245/75 R 17	S	121/118	GRABBER HTS	0450184
17	255/65 R 17	T	110/000	GRABBER HTS60	0450484
17	255/65 R 17	H	110/000	GRABBER AT2	1544882
17	255/65 R 17	S	114/110	GRABBER AT3	0450693
17	255/70 R 17	S	110/000	GRABBER HTS	0450328
17	255/70 R 17	S	110/000	GRABBER HTS	1549043
17	255/75 R 17	Q	111/108	GRABBER X3	0450575
17	265/65 R 17	T	112/000	GRABBER HTS60	0450485
17	265/65 R 17	H	112/000	GRABBER AT3	0450666
17	265/65 R 17	S	112/000	GRABBER AT2	1544781
17	265/65 R 17	S	120/117	GRABBER AT3	0450695
17	265/70 R 17	T	115/000	GRABBER AT3	0450670
17	265/70 R 17	H	113/000	AMERITRAC TR	0450556
17	265/70 R 17	Q	121/118	GRABBER AT2	0456499
17	265/70 R 17	Q	121/118	GRABBER X3	0450577
17	265/70 R 17	Q	121/118	GRABBER X3	0450620
17	265/70 R 17	Q	121/118	GRABBER X3	0450576
17	265/70 R 17	S	115/000	GRABBER AT2	0450406
17	265/70 R 17	S	115/000	GRABBER HTS60	0450478
17	265/70 R 17	S	115/000	GRABBER HTS60	0450479
17	265/70 R 17	S	121/118	GRABBER AT3	0450702
17	265/70 R 17	S	121/118	GRABBER HTS60	0450517
17	275/60 R 17	T	110/000	GRABBER HTS60	0450486
17	285/65 R 17	H	116/000	GRABBER HTS60	0450558
17	285/70 R 17	Q	121/118	GRABBER X3	0450621
17	285/70 R 17	Q	121/118	GRABBER X3	0450578
17	285/70 R 17	R	121/118	GRABBER AT2	0450299
17	295/70 R 17	Q	121/118	GRABBER X3	0450580
17	295/70 R 17	Q	121/118	GRABBER X3	0450579
17	315/70 R 17	Q	121/118	GRABBER X3	0450581
17	315/70 R 17	R	121/118	GRABBER AT2	0450302

DIMENSIONS

4X4 TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
17	33 X 12.50 R 17	Q	105/000	GRABBER AT2	0450540
17	33 X 12.50 R 17	Q	114/000	GRABBER X3	0450625
17	33 X 12.50 R 17	Q	114/000	GRABBER X3	0450583
17	33 X 12.50 R 17	Q	114/000	GRABBER X3	0450582
17	35 X 12.50 R 17	Q	119/000	GRABBER AT2	0450542
17	35 X 12.50 R 17	Q	121/000	GRABBER X3	0450585
17	35 X 12.50 R 17	Q	121/000	GRABBER X3	0450584
17	37 X 12.50 R 17	Q	116/000	GRABBER X3	0450626
17	37 X 12.50 R 17	Q	124/000	GRABBER X3	0450587
17	37 X 12.50 R 17	Q	124/000	GRABBER X3	0450586
18	235/55 R 18	H	104/000	GRABBER AT3	0450649
18	235/60 R 18	H	103/000	GRABBER HTS60	0450493
18	235/60 R 18	H	107/000	GRABBER AT3	0450652
18	235/65 R 18	T	106/000	GRABBER HTS60	0450489
18	245/60 R 18	H	105/000	GRABBER HTS60	0450494
18	255/55 R 18	H	109/000	GRABBER AT2	1547794
18	255/55 R 18	H	109/000	GRABBER AT3	0450660
18	255/55 R 18	H	109/000	GRABBER HTS60	0450496
18	255/60 R 18	H	112/000	GRABBER AT2	1548407
18	255/60 R 18	H	112/000	GRABBER AT3	0450734
18	255/60 R 18	S	112/109	GRABBER AT3	0450692
18	255/65 R 18	S	111/000	GRABBER HTS60	0450490
18	255/70 R 18	T	113/000	GRABBER HTS60	0450487
18	265/60 R 18	T	110/000	GRABBER HTS60	0450495
18	265/60 R 18	H	110/000	GRABBER AT3	0450665
18	265/65 R 18	T	114/000	GRABBER AT3	0450667
18	265/65 R 18	T	114/000	GRABBER HTS60	0450491
18	265/70 R 18	T	116/000	GRABBER HTS60	0450488
18	265/70 R 18	Q	124/121	GRABBER X3	0450588
18	265/70 R 18	R	124/121	GRABBER AT2	0450303
18	265/70 R 18	S	116/000	GRABBER HTS	0450319
18	275/65 R 18	T	116/000	GRABBER HTS60	0450492
18	275/65 R 18	Q	123/120	GRABBER X3	0450592
18	275/65 R 18	S	123/120	GRABBER HTS60	0450519
18	275/70 R 18	Q	125/122	GRABBER X3	0450590
18	275/70 R 18	Q	125/122	GRABBER X3	0450589
18	275/70 R 18	Q	125/122	GRABBER AT2	0456655
18	285/60 R 18	H	116/000	GRABBER AT3	0450677
18	295/70 R 18	Q	129/126	GRABBER X3	0450591
18	33 X 12.50 R 18	Q	118/000	GRABBER AT2	0450543
18	33 X 12.50 R 18	Q	118/000	GRABBER X3	0450594
18	33 X 12.50 R 18	Q	118/000	GRABBER X3	0450593
18	35 X 12.50 R 18	Q	118/000	GRABBER AT2	0450544
18	35 X 12.50 R 18	Q	123/000	GRABBER X3	0450596
18	35 X 12.50 R 18	Q	123/000	GRABBER X3	0450595
18	37 X 12.50 R 18	Q	128/000	GRABBER X3	0450597
19	235/55 R 19	H	101/000	GRABBER HTS60	0450499
19	235/55 R 19	H	105/000	GRABBER AT3	0450650
19	245/55 R 19	T	103/000	GRABBER HTS60	0450500
19	255/50 R 19	H	107/000	GRABBER AT3	0450659
19	255/55 R 19	H	111/000	GRABBER AT3	0450661

Rim	Size	Speed index	Load index	Pattern	Material Number
19	255/55 R 19	Q	111/000	GRABBER X3	0450617
19	255/60 R 19	H	109/000	GRABBER HTS60	0450498
19	255/60 R 19	S	109/000	GRABBER HTS60	0450497
20	245/50 R 20	H	102/000	GRABBER HTS60	0450504
20	255/55 R 20	H	107/000	GRABBER HTS60	0450520
20	255/55 R 20	H	110/000	GRABBER AT3	0450662
20	265/50 R 20	T	107/000	GRABBER HTS60	0450505
20	275/40 R 20	H	106/000	GRABBER AT3	0450671
20	275/40 R 20	V	106/000	GRABBER AT3	0450672
20	275/45 R 20	H	110/000	GRABBER AT3	0450673
20	275/45 R 20	V	110/000	GRABBER AT3	0450674
20	275/55 R 20	T	117/000	GRABBER HTS60	0450502
20	275/55 R 20	H	117/000	GRABBER AT3	0450686
20	275/55 R 20	H	117/000	GRABBER HTS60	0450503
20	275/55 R 20	V	117/000	GRABBER UHP	1547791
20	275/60 R 20	T	119/000	GRABBER HTS60	0450501
20	275/60 R 20	H	115/000	GRABBER AT3	0450676
20	275/65 R 20	Q	126/123	GRABBER X3	0450598
20	275/65 R 20	S	126/123	GRABBER AT2	0450301
20	275/65 R 20	S	126/123	GRABBER HTS	0457112
20	285/50 R 20	V	112/000	GRABBER UHP	1547749
20	295/45 R 20	V	114/000	GRABBER UHP	1547790
20	295/50 R 20	V	118/000	GRABBER UHP	1547793
20	295/55 R 20	Q	123/120	GRABBER X3	0450601
20	295/65 R 20	Q	129/126	GRABBER X3	0450600
20	295/65 R 20	Q	129/126	GRABBER X3	0450599
20	305/55 R 20	Q	121/118	GRABBER X3	0450604
20	305/55 R 20	Q	121/118	GRABBER X3	0450603
20	33 X 12.50 R 20	Q	114/000	GRABBER AT2	0450545
20	33 X 12.50 R 20	Q	114/000	GRABBER X3	0450605
20	35 X 12.50 R 20	Q	121/000	GRABBER AT2	0450403
20	35 X 12.50 R 20	Q	121/000	GRABBER X3	0450607
20	35 X 12.50 R 20	Q	121/000	GRABBER X3	0450606
20	37 X 13.50 R 20	Q	127/000	GRABBER X3	0450609
20	37 X 13.50 R 20	Q	127/000	GRABBER X3	0450608
22	265/40 R 22	W	106/000	GRABBER UHP	1544791
22	285/35 R 22	W	106/000	GRABBER UHP	1544789
22	285/45 R 22	H	114/000	GRABBER HTS60	0450506
22	305/40 R 22	V	114/000	GRABBER UHP	1547792
22	305/45 R 22	V	118/000	GRABBER UHP	1547802
23	305/40 R 23	V	115/000	GRABBER UHP	1547787
24	305/35 R 24	V	112/000	GRABBER UHP	1544794

DIMENSIONS

VAN TYRES

Rim	Size	Speed index	Load index	Pattern	Material Number
14	165/70 R 14	R	089/087	Eurovan 2	0460070
14	175/65 R 14	T	090/088	Eurovan 2	0460068
14	175/70 R 14	T	095/093	Eurovan 2	0460189
14	185 R 14	Q	102/100	Eurovan 2	0460065
14	195 R 14	Q	106/104	Eurovan 2	0460072
15	195 R 15	R	106/104	Eurovan 2	0460191
15	195/70 R 15	R	104/102	Eurovan 2	0460062
15	215/65 R 15	T	104/102	Eurovan 2	0460188
15	215/70 R 15	R	109/107	Eurovan 2	0460076
15	225/70 R 15	R	112/110	Eurovan 2	0460063
16	175/75 R 16	R	101/099	Eurovan	0461305
16	185/75 R 16	R	104/102	Eurovan 2	0460073
16	195/65 R 16	T	104/102	Eurovan 2	0460067
16	195/75 R 16	R	107/105	Eurovan 2	0460064
16	205/65 R 16	T	107/105	Eurovan 2	0460066
16	205/75 R 16	R	110/108	Eurovan 2	0460077
16	215/60 R 16	T	103/101	Eurovan 2	0460190
16	215/65 R 16	R	109/107	Eurovan 2	0460075
16	215/75 R 16	R	113/111	Eurovan 2	0460069
16	225/65 R 16	R	112/110	Eurovan 2	0460074
16	235/65 R 16	R	115/113	Eurovan 2	0460071

Contact:

Thomas Strohmeier

Business Development Manager
Israel & Cuba

Continental Reifen Deutschland GmbH
E-Mail: thomas.strohmeier@conti.de

